UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



Lynette T. Umez Evenini

MEMORANDUM

3/3/2020

SUBJECT: Product Chemistry Review for Synergex EPA Reg. No.: 1677-250

FROM: Lynette T. Umez-Eronini

Chemistry and Toxicology Team

Product Science Branch

Antimicrobials Division (7510P)

THRU: Karen P. Hicks, Team Leader

Chemistry and Toxicology Team

Product Science Branch

Antimicrobials Division (7510P)

TO: Zeno Bain, PM Team 33 / Aline Heffernan

Regulatory Management Branch I Antimicrobials Division (7510P)

Registrant: Ecolab Inc. Action code: A570

Agency Due Date:

3/6/2020

DP No.: 455044

Submission No.: 1042052

E-Sub No.: 43657

Classification: EP

Process: Nonintegrated

system

Pesticide type: Disinfectant

MRID(s):50968200, 50968204

Formulation from label				
PC code(s)	CAS #(s)	Active Ingredient(s) % v		
000595	7722-84-1	Hydrogen peroxide	10.70	
063209	33734-57-5	Peroxyoctanoic acid	0.63	
063201	79-21-0	Peroxyacetic acid		
		Other Ingredients	86.29	
		Total	100.00	

I. BACKGROUND

The Registrant, Ecolab Inc., has submitted an minor formulation amendment for their product: Synergex EPA Reg. No. 1677-250. The amendment is to review the 830.6317 Storage Stability and 830.6320 Corrosion Characteristics studies.

II. RELEVANT DOCUMENTS

	RECEIVED	N/A
EPA FORM 8570-1– Application for Pesticide – Amendment (10/16/2019)	\boxtimes	
Cover letter (10/16/2019)	\boxtimes	
EPA FORM 8570-35 – Data Matrix (10/16/2019)	\boxtimes	
Transmittal document (10/16/2019)	\boxtimes	
Proposed CSF		\boxtimes
Proposed label, (10/16/2019)	\boxtimes	
Certification for Pilot Fragrance Notification Program		\boxtimes
REFERENCED: CSF BASIC, (10/20/2014)		
REFERENCED: LABLE, (8/22/2017)		
Comments:		

III. FINDINGS

a. Product Formulation:

	TGAI	MUP	EUP	Food use	Non-food
					use
Non-integrated					
Integrated			\boxtimes	\boxtimes	
Active Ingredients(s)			Nominal	Upper limit	Lower
					limit
Hydrogen peroxide			10.70	11.55	9.75
Peroxyoctanoic acid			0.63	0.78	0.49
Peroxyacetic acid			2.38	2.72	2.04

1677-250_D455044_Synergex

	YES	NO	N/A
1. The certified limits of all ingredients are within 40		\boxtimes	
CFR standard certified limits.			
2. Wider certified limits were previously requested			\boxtimes
and rationale was accepted.			
3. The nominal concentration(s) of the active	\boxtimes		
ingredient is in agreement with the label.			
4. The chemical IDs and analytical information for	\boxtimes		
density, pH, and flammability are consistent with			
Series 830 Group B data.			
5. All inert ingredients are approved for food use	\boxtimes		
pesticide formulations.			
6. The impurities present >0.1% are identified.			\boxtimes
7. Impurities of toxicological significance have an			\boxtimes
upper certified limit.			

b. Product Label:

	Yes	NO	N/A
The formula contains one of the following:			
1. 10% or more of petroleum distillate		\boxtimes	
2. 1.0% or more of methyl alcohol		\boxtimes	
3. Sodium nitrite at any level		\boxtimes	
4. A toxic list 1 inert at any level		\boxtimes	
5. Arsenic in any form		\boxtimes	
6. If yes to 1-5, then the inert ingredient list contains a relevant		\boxtimes	
footnote			
7. Appropriate warning statements regarding flammability or			\boxtimes
explosive characteristics of the product are included on the			
label			
8. The storage and disposal instructions for the pesticide	\boxtimes		
container are in compliance with PR Notice 84-1 for household			
use products or PR Notice 83-3 for all other uses.			
9. The product requires an expiration date at which time the			\boxtimes
nominal concentration falls below the lower certified limit.			

IV. Additional Findings

- 1. Basic CSF, dated 10/20/2014 and label, dated 8/22/2017 are used as references.
- 2. Support for wider certified limits for the active ingredients and some of the inert ingredients

- was previously provided and found acceptable (see Chemistry Review for 1677-ELN_D424059_Synergex, dated April 10, 2015).
- 3. A statement of Good Laboratory Practice Standards outlined in 40 CFR Part 160 is provided (See MRID 50968204).
- 4. The 830.6317 Storage Stability and 830.6320 Corrosion Characteristics studies were conducted in High Density Polyethylene (HDPE) bulk containers at a temperature range from 20.6°C 28.2°C at 0, 1, 2, 3, 4, 5, 6, 8, 10, 12, 14, 16, 18, and 20 months.
- 5. Color and physical state of the test substance and container that contained the test substance were tested visually.
- 6. No crazing nor cracking of the high density polyethylene container and closure were observed and the test substance was clear to light yellow throughout the 20 months study.
- 6. Chemical analysis of the active ingredients was done by titration. Analysis was made on one sample that was taken from the bulk container, except in one case. An average of 3 measurements were taken and reported for hydrogen peroxide at 14 months. Titration results are shown in the table below.

Table: Titration Analysis of Hydrogen Peroxide, Peroxyacetic Acid, and Peroxyoctanoic Acid

Time, month	Hydrogen Peroxide		Peroxyacetic Acid		Peroxyoctanoic Acid	
	(H_2O_2) , % by wt		(POAA), % by wt		(POOA), % by wt	
0	11.01	11.00	2.54	2.49	0.61	0.60
1	11.07	10.98	2.5	2.5	0.59	0.58
2	10.90	10.92	2.4	2.4	0.62	0.59
3	10.87	10.88	2.4	2.4	0.57	0.58
4	10.79	10.79	2.5	2.5	0.57	0.57
5	10.76	10.72	2.5	2.4	0.59	0.59
6	10.62	10.63	2.5	2.5	0.57	0.58
8	10.51	10.51	2.33	2.38	0.56	0.55
10	10.36	10.41	2.30	2.31	0.54	0.55
12	10.30	10.31	2.29	2.33	0.55	0.58
14	10.12*	10.11*	2.29	2.29	0.56	0.56
16	10.03	10.06	2.31	2.31	0.54	0.52
18	9.90	9.84	2.24	2.21	0.53	0.53
20	9.71	9.67	2.27	2.24	0.51	0.50

^{*}Indicate the average of 3 measurements

<u>Active</u>	<u>Nominal</u>	Certified Limit
Hydrogen peroxide	10.70%	11.55% - 9.75%
Peracetic acid	2.38%	2.72% - 2.04%
Peroxyoctanoic Acid	0.63%	0.78% - 0.49%

1677-250_D455044_Synergex

7. Note: The results of the long-term 20 months storage stability and corrosion studies herein show the concentration of all active ingredients lie within the Certified Limits over the 20 months testing period, except hydrogen peroxide at 20 months. Since the 830.6317 and Storage Stability and 830.6320 Corrosion Characteristics guidelines recommend testing for a period of every 3 months up to a year and if continued beyond 1 year, then every 6 months thereafter, then the 830.6317 and Storage Stability and 830.6320 Corrosion Characteristics guidelines for the current product have been met.

V. Conclusion

The Product Science Branch of Antimicrobials Division finds the 830.6317 Storage Stability and 830.6320 Corrosion Characteristics guidelines to be acceptable.